



The Outlet Corp Customer: 7700 NW 56 St Doral, FL 33166

Batch #: 112-229 Laboratory Number: ATL-14344 Report Issue Date: 7/12/2023

Order Date: 7/10/2023 Analysis Date: 7/12/2023

Extraction Technician: LL Analytical Chemist: LL

Unit Weight: 30ml / Bottle

Sample Description:

2000mg CBD Oil



Kim Dang Laboratory Manage

CANNABINOID PROFILE -15 COUNTS

Analyte	LOQ (mg/g)	Results mg/bottle	%		Analyte	LOQ (mg/g)	Results mg/bottle	%	\square	Analyte	LOQ (mg/g)	Results mg/bottle	%
CBDV-A	<0.011	N/D	N/D		THCV-A	<0.005	N/D	N/D		CBC-A	<0.005	N/D	N/D
CBDV	<0.011	N/D	N/D		CBN	<0.011	N/D	N/D		THC-A	<0.03	N/D	N/D
CBD-A	<0.008	N/D	N/D	/	D9-THC	<0.014	N/D	N/D					
CBG-A	<0.008	N/D	N/D	4	D8-THC	<0.005	N/D	N/D					
CBG	<0.007	N/D	N/D	Æ	9S-D10-THC	; <0.005	N/D	N/D					
CBD	<0.008	2128.200	7.094		9R-D10-THC	; <0.002	N/D	N/D			\mathcal{A}		$\langle \rangle$
гнсч	<0.008	N/D	N/D	T	СВС	<0.009	N/D	N/D	\bigwedge				
		Max	Active T	нс	mg/bottle N/D	% N/D	Total Ac Cannabi			mg/bottle 2128.20	% 7.09		
		Max	Active C	BD	mg/bottle 2128.200	% 7.09	Total Cannabi	noids		mg/bottle 2128.20	% 7.09		
NOT	TES .		H		XX			XV		M			P

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD) Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9-Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC) 9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA)



Document ID: ATL-225 Revision: 03 Effective Date:5/16/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

Accurate Test Lab, LLC >>> 2960 SW 23rd Terrace, Suite 104, Fort Lauderdale, FL 33312, USA >>> 📞 (954) 515 - 0200