CERTIFICATE OF ANALYSIS



The Outlet Corp Customer: 7700 NW 56 St

Doral, FL 33166

Batch #: H42026

Laboratory Number: ATL-22575

Report Issue Date: 7/16/2024

Order Date: 7/10/2024

Analysis Date: 7/15/2024

Extraction Technician: LL Analytical Chemist: LL

Kim Dang

Results

mg/bottle

%

LOQ

(mg/g)

Analyte

Sample Description:

Love Farms Pet Oil

Unit Weight: 30ml / Bottle

CANNABINOID PROFILE - BASIC

Analyte	LOQ (mg/g)	Results mg/bottle	%	Analyte	LOQ (mg/g)	Results mg/bottle	%
CBDV-A	<0.011	N/D	N/D	D8-THCV	<0.004	N/D	N/D
CBDV	<0.011	N/D	N/D	THCV-A	<0.005	N/D	N/D
CBD-A	<0.008	N/D	N/D	CBN	<0.011	N/D	N/D
CBG-A	<0.008	N/D	N/D	D9-THC	<0.014	N/D	N/D
CBG	<0.007	N/D	N/D	D8-THC	<0.005	N/D	N/D
CBD	<0.008	2706.300	9.021	9S-D10-THC	<0.005	N/D	N/D
THCV	<0.008	N/D	N/D	9R-D10-THC	<0.002	N/D	N/D

СВС	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	N/D	N/D

	Max Active THC	mg/bottle	%	
1		N/D	N/D	V
ľ				
	Max Active CBD	mg/bottle	%	
		2706.30	9.02	

Total Active	mg/bottle	%
Cannabinoids	2706.30	9.02
Total	mg/bottle	%
Cannabinoids	2706.30	9.02

NOTES

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)

Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9- Tetrahydrocannabinol(D9-THC) Delta-8- Tetrahydrocannabinol(D8-THC)

9S-Delta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) Cannabichromene(CBC) Cannabichromenic Acid(CBCA)

Tetrahydrocannabinolic Acid(THCA)

Document ID: ATL-225 Revision: 05 Effective Date: 10/3/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

